

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11624	(bend\$3 or bent or warp\$4 or distort\$3) same titanium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:26
L2	2066	(glass\$3 or dielectric) same 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:18
L3	0	(modulus and coefficient\$1) same 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:18
L4	62	(modulus and coefficient\$1) same 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:23
L5	133	(modulus and coefficient\$1) same 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:29
L6	71	5 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:23
L7	62	4 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:23

EAST Search History

L8	0	7 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:24
L9	2066	1 same 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:24
L10	471	9 same circuit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:24
L11	32	9 same gauge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:25
L12	4	(bend\$3 or bent or warp\$4 or distort\$3) same ((young's near modulus) and ((temperature or thermal) near coefficient))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:29
L13	1015075	(bend\$3 or bent or warp\$4 or distort\$3) same (prevent\$3 or reduc\$5 or limit\$3 or stop\$4 or control\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:31
L14	1105	(modulus and coefficient\$1) same 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:29

EAST Search History

L15	1	13 same ((young's near modulus) and ((temperature or thermal) near coefficient))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:31
L16	489286	(bend\$3 or bent or warp\$4 or distort\$3) with (prevent\$3 or reduc\$5 or limit\$3 or stop\$4 or control\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:31
L17	0	16 same ((young's near modulus) and ((temperature or thermal) near coefficient))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:32
L18	10	16 and ((young's near modulus) and ((temperature or thermal) near coefficient))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:35
L19	1626	16 same titanium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:35
L20	194	19 same (glass\$3 or dielectric)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:54
L21	307	(bending near strength) same (modulus and coefficient)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:55

EAST Search History

L22	102	21 and titanium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 15:55
-----	-----	-----------------	--	----	-----	------------------